

PRS-2 PRESENCE CONTROL : USER GUIDE

by Demeter Amplification

The Demeter PRS-2 Presence Control:

Thank you for purchasing the PRS-2 Presence Control pedal. The pedal brightens your guitar by boosting upper mids with a curve tuned by Demeter through years of experimentation. A toggle give you a choice of a high boost or you can add more mids. The unit is set up as a buffer to help you run your pedal board or buffering you guitar for long cable runs. The boost gives you up to 14 dB of boost or any amount in between set by the pot the foot switch kicks it all in.

Warranty:

The PRS-2 Presence Control is covered for 1 year parts and labor.



Features

- **Mid/High-High Switch:** Changes the target frequency of the boost between upped mids and treble frequency.
- **Flat-Boost Knob:** Varies the amount of gain when pedal is engaged. Allows up to 14dB of boost.
- **Internal :** 9 volt battery (for battery access, remove the four screws on the sides of the unit and pull apart).
WARNING: If battery drops below 7 volts, noise will occur.
- **External :** 9 volt regulated power supply, mini-plug, tip positive. Recommended external power supply is the Dunlop ECB-02.

Troubleshooting:

- **No Sound :** Check cables & connections. Check to ensure there is power getting to the unit (indicator light). If there is no power to the unit and battery is fully charged, try power adapter or replace the battery clip.

Support:

Feel free to call or email us for additional support or product repairs. We are available M-F 11am-4pm Pacific Standard Time.

Phone : (805) 461-4100

Email : support@demeteramps.com

Website : www.demeteramps.com

Copyright:

© 2012 Demeter Amplification. All rights reserved.

This manual and any associated products or designs are subject to copyright protection. No part of this document may be reproduced, in any form, without prior written permission of Demeter Amplification.